




Global Truss America

Has Been A Proven Reliable Source Of Trussing Solutions For Productions Companies, System Integrations and Mobile Entertainers For Over A Decade.



TRUSS LEGEND

F14 MINI BOX TRUSS

- 3.93" (100mm) x 3.93" (100mm) Square
- 0.78" (20mm) x 0.08" (2mm) Main Tubes
- 0.23" (6mm) Diagonal Brace
- Alloy EN-AW 6082 T6 (AIMSi1 T6)
- Brushed Aluminum Finish
- Quick Connect Hardware Included (Couplers, Pins & R-Clips)

F23 LIGHT DUTY TRIANGULAR TRUSS

- 8.66" (220mm) x 8.66" (220mm) Triangular
- 1.37" (35mm) x 0.08" (2mm) Main Tubes
- 0.31" (8mm) Diagonal Brace
- Alloy EN-AW 6082 T6 (AIMSi1 T6)
- Brushed Aluminum Finish
- Quick Connect Hardware Included (Couplers, Pins & R-Clips)

F24 LIGHT DUTY BOX TRUSS

- 8.66" (220mm) x 8.66" (220mm) Square
- 1.37" (35mm) x 0.08" (2mm) Main Tubes
- 0.31" (8mm) Diagonal Brace
- Alloy EN-AW 6082 T6 (AIMSi1 T6)
- Brushed Aluminum Finish
- Quick Connect Hardware Included (Couplers, Pins & R-Clips)

F31 SINGLE TUBE

- 1.96" (50mm) x 0.08" (2mm) Diameter Pipe
- Alloy EN-AW 6082 T6 (AIMSi1 T6)
- Brushed Aluminum Finish
- Quick Connect Hardware Included (Couplers, Pins & R-Clips)

F32 LADDER TRUSS

- 11.41" (290mm) Diameter
- 1.96" (50mm) x 0.08" (2mm) Main Tubes
- 0.78" (20mm) x 0.08" (2mm) Diagonal Brace
- Alloy EN-AW 6082 T6 (AIMSi1 T6)
- Brushed Aluminum Finish
- Quick Connect Hardware Included (Couplers, Pins & R-Clips)

F33 MED. DUTY TRIANGULAR TRUSS

- 11.41" (290mm) x 11.41" (290mm) Triangular
- 1.96" (50mm) x 0.08" (2mm) Main Tubes
- 0.78" (20mm) x 0.08" (2mm) Diagonal Brace
- Alloy EN-AW 6082 T6 (AIMSi1 T6)
- Brushed Aluminum Finish
- Quick Connect Hardware Included (Couplers, Pins & R-Clips)

F34 MED. HEAVY DUTY BOX TRUSS

- 11.41" (290mm) x 11.41" (290mm) Square
- 1.96" (50mm) x 0.08" (2mm) Main Tubes
- 0.78" (20mm) x 0.08" (2mm) Diagonal Brace
- Alloy EN-AW 6082 T6 (AIMSi1 T6)
- Brushed Aluminum Finish
- Quick Connect Hardware Included (Couplers, Pins & R-Clips)

F34P HEAVY DUTY BOX TRUSS

- 11.41" (290mm) x 11.41" (290mm) Square
- 1.96" (50mm) x 0.11" (3mm) Main Tubes
- 0.78" (20mm) x 0.08" (2mm) Diagonal Brace
- Alloy EN-AW 6082 T6 (AIMSi1 T6)
- Brushed Aluminum Finish
- Quick Connect Hardware Included (Couplers, Pins & R-Clips)

F44P HEAVY DUTY BOX TRUSS

- 15.75" (400mm) x 15.75" (400mm) Square
- 1.96" (50mm) x 0.12" (3mm) Main Tubes
- 0.98" (25mm) x 0.12" (3mm) Diagonal Brace
- Alloy EN-AW 6082 T6 (AIMSi1 T6)
- Brushed Aluminum Finish
- Quick Connect Hardware Included (Couplers, Pins & R-Clips)

VISIT OUR WEBSITE TO VIEW OUR FULL SELCTION OF STRAIGHT SEGMENTS, CORNERS AND CIRCULAR ARCS



GT STAGE/ADJUST

- Platform Dimensions: 1m (3.28') x 2m (6.56')
- Adjustable Heights: 27", 31.5", 35", 39.37"
- Maximum Load Capacity: 1500lbs
- Unit Weight: 77lbs
- Skid Proof Surface, Connecting Hardware Included
- Optional: Stairs, Guard Rails, 15.7" Riser Leg



ST-132



ST-157

ST-132 TRIPOD CRANK STAND


- Maximum Vertical Load: 220lbs.
- Maximum Height: 4.0m 13'2"
- Minimum Height: 1.62m 5'4"
- Base Footprint: 1.6m 5'3"
- Insertion Diameter: 1 3/8"
- Unit Weight: 55lbs.
- Square tube lighting T bar included.
- Truss Adaptor sold separate

ST-157 CRANK STAND WITH OUTRIGGERS

- Maximum Vertical Load: 300lbs.
- Maximum Height: 4.8m (15'7")
- Minimum Height: 1.95m (6'4")
- Base Footprint: 2.13m (7")
- Insertion Diameter: 1 3/8"
- Unit Weight: 150lbs.
- Truss Adaptor sold separate



ST-180



GT-12

ST-180 HEAVY DUTY CRANK STAND WITH OUTRIGGERS

- Maximum Vertical Load: 450lbs.
- Maximum Height: 5.5m (18')
- Minimum Height: 1.77m (5'11")
- Base Footprint: 2.17m (7'2")
- Insertion Diameter: 2 5/8"
- Unit Weight: 229lbs.
- Truss Adaptor sold separate

GT-12 GROUND SUPPORT TOWER

- Maximum Working Height with F34 Truss: 6m (19.68')
- Components: GT-TOP/CM, GT-BLOCK, GT-44BS-1
- GT-49214S-1 Outriggers (4x), HINGE M12 (4x), SQ-4109
- The GT-BLOCK with accommodate F33, F34, F34P and F44P truss horizontally.
- Optional: 1 Ton Manual Chain hoist

PRO SERIES HEAVY DUTY CLAMPS FOR 2" PIPE

For F31, F32, F33, F34, F34P and F44P Truss



PRO CLAMP

LOAD CAPACITY: 1100 LBS



PRO SWIVEL CLAMP

LOAD CAPACITY: 1100 LBS



EYE CLAMP

LOAD CAPACITY: 440 LBS



COUPLER CLAMP

LOAD CAPACITY: 1100 LBS



XPRO CLAMP

LOAD CAPACITY: 1650 LBS

NARROW SERIES MEDIUM DUTY CLAMPS FOR 2" PIPE

For F31, F32, F33, F34, F34P and F44P Truss



NARROW CLAMP

LOAD CAPACITY: 440 LBS



SWIVEL CLAMP/N

LOAD CAPACITY: 440 LBS



COUPLER CLAMP/N

LOAD CAPACITY: 660 LBS



TRIGGER CLAMP

LOAD CAPACITY: 550 LBS



QUICK RIG CLAMP

LOAD CAPACITY: 550 LBS

MINI SERIES LIGHT DUTY CLAMPS

For F31, F32, F33, F34, F34P and F44P Truss




MINI 360

LOAD CAPACITY: 220 LBS



MINI 360QR

LOAD CAPACITY: 220 LBS



MINI 360QR SWIVEL

LOAD CAPACITY: 660 LBS



JR SERIES CLAMPS

For F23 & F24 Truss



JR CLAMP

LOAD CAPACITY: 165 LBS



JR SWIVEL CLAMP

LOAD CAPACITY: 165 LBS



JR EYE CLAMP

LOAD CAPACITY: 165 LBS



JR PRO CLAMP


LOAD CAPACITY: 220 LBS



JR TRIGGER CLAMP

LOAD CAPACITY: 165 LBS

SPECIALTY CLAMPS



CLAMP POST



ST-5050

Corner Brace



MINI 360 1.5

LOAD CAPACITY: 165 LBS
FOR 1.5" OD PIPE



MINI 360 F14

LOAD CAPACITY: 165 LBS.
FOR F14 TRUSS ONLY
Can be used on the Bracing of
F33,F34 Truss for Light weights

ACCESSORIES



SQ-4137 SAP

Speaker Mount
Totem Plate



BOOK CORNER

VARIABLE
ANGLE HINGE



TRUSS COVERS

AVAILABLE FOR F24
& F34 TRUSS



DT-QUICK GRID

GRID SECTION




STEEL BASE PLATES

24" x 24" / 36" x 36"
12" x 48" - Square plate
28" - Diameter round plate



ALUMINUM BASE PLATES

20" x 20" / 30" x 30"



GT-LECTURN

- Lectern Top Dimensions: 19.5" W x 19.5" L
- Base Dimensions: 16"W x 16" L
- Height: 42.5"
- All aluminum construction
- Custom heights available




TRUSS TOTEMS

- Sizes available: 4.92FT, 6.56FT and 8.2FT
- F34 12" Box Truss
- Aluminum top plate and floor plate
- Truss cover included
(Steel floor base plates and custom heights available)




GLO TOTEMS

- Sizes available: 4.92FT, 6.56FT and 8.2FT
- F31 2" Single Tube
- Aluminum top plate and floor plate
- Truss cover included
(Steel floor base plates and custom heights available)



ARCH SYSTEM

- System Dimensions: 10FT W x 8FT H
- F23 Style Triangular Truss
- System Weight: 85 LBS
- Optional: Transport Bag / F23 Width & Height Extensions



TRUSS SYSTEM

- System Dimensions: 8FT W x 8FT H
- F23 Style Triangular Truss
- System Weight: 75 LBS
- Optional: Transport Bag / F23 Width & Height Extensions




MATTE BLACK FINISH AVAILABLE




FS-20X15 F34-004

FINISH LINE TRUSS SYSTEM



TB-20X20 F34-006

TRADESHOW BOOTH



TB-20X21X16 F34-001

PITCHED ROOF SYSTEM

- COMPLETE IN HOUSE CAD SERVICES TO HELP YOU DESIGN YOUR NEXT PROJECT
- VISUAL CAD RENDERINGS OF DESIGNS
- QUICK FULFILLMENT WITH A LARGE SELECTION OF READY TO SHIP PRODUCTS IN STOCK
- AFFORDABLE TURNKEY STRUCTURAL AND DECORATIVE SYSTEMS
- TRUSSING IN A WIDE VARIETY OF SHAPES AND SIZES
- DEDICATED SUPPORT FROM THE DESIGN PROCESS, ENGINEERING AND INSTALLATION.
- CUSTOM POWDER COATING
- QUICK CONNECT COUPLING SYSTEM



Follow Us On Facebook
facebook.com/globaltrussusa



GLOBAL TRUSS AMERICA, LLC

Tel: 323.415.6225 | E-mail: support@globaltruss.com

DISTRIBUTED BY:

©Global Truss America® • Los Angeles CA 90040, USA